

TOWN OF CICERO

Water Quality Report / Consumer Confidence Report

Public Water Supply ID#0310510

For the Period January 1, 2018 through December 31, 2018

Este informe contiene informacion muy importante sobre el agua que usted bebe. Traduzcalo o hable con alguien que lo entienda bien.

This report is intended to provide you with important information about your drinking water and the efforts made by the Town of Cicero to provide safe drinking water. If you would like to learn more please contact Town Hall or visit our web site at www.thetownofcicero.com. There you will find the completed Illinois EPA Source Water Assessments; including current Town water Infrastructure projects. Regularly scheduled Cicero Town Board meetings are held on the 2nd and 4th Tuesday of each month at 10:00 am. You may also want to visit the Illinois EPA website to access other information regarding Source Water; Susceptibility of Contamination Determination, and documentation and recommendations of Source Water Protection Efforts, at: <http://www.epa.state.il.us/cgi-bin/wp/swap-fact-sheets.pl>.

If you have any other questions, or need additional information, please contact Joe Virruso, Town Supervisor or Lido Manetti, Water Department Director at 708.656.3600.

CONSUMER EDUCATION

The Town of Cicero tests the water supply for chlorine content on a daily basis to maintain the optimum levels for the consumers' needs. On a monthly basis, bacteriological samples are taken. On a yearly basis, samples are submitted for Total Trihalomethane (TTHM) Analysis. Samples are also provided for lead and copper monitoring on a schedule established by the IEPA. All testing and reports are performed according to the requirements of IEPA.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs Safe Drinking Water Hotline at (800) 426-4791.

In order to ensure that tap water is safe to drink, the EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. The Federal Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The EPA and the Center of Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline.

Lead: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Lead is not found in the source water. Lead can enter drinking water when service pipes that contain lead corrode, especially where the water has high acidity or low mineral content that corrodes pipes and fixtures. A common source is from brass or chrome-plated brass faucets, and fixtures with lead solder, from which significant amounts of lead can enter into the water, especially from hot water use. Homes built before 1986 are more likely to have lead pipes, fixtures and solder. The Safe Drinking Water Act (SDWA) has reduced the maximum allowable lead content that is, content that is considered "lead-free" to be a weighted average of 0.25 percent calculated across the wetted surfaces of pipes, pipe fittings, plumbing fittings, and fixtures and 0.2 percent for solder and flux.

The Safe Drinking Water Act requires the EPA to determine the level of contaminants in drinking water at which no adverse health effects are likely to occur with an adequate margin of safety. These non-enforceable health goals, based solely on possible health risks, are called maximum contaminant level goals (MCLGs). The EPA has set the maximum contaminant level goal for lead in drinking water at zero because lead is a toxic metal that can be harmful to human health even at low exposure levels. Lead is persistent, and it can bioaccumulate in the body over time.

Measures to Reduce Lead in Drinking Water at Home: Flush your pipes before drinking. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. Use only cold water for drinking, cooking, and especially for making baby formula. Hot water is likely to contain higher levels of lead. Run cold water until it becomes as cold as it can get. Note that boiling water will NOT get rid of lead contamination. Bathing and showering should be safe for you and your children, even if the water contains lead over EPA's action level. Human skin does not absorb lead in water. This information applies to most situations and to a large majority of the population, but individual circumstances may vary.

If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (800-426-4791) or at <http://www.epa.gov/safewater/lead>.

Source of Drinking Water Contamination: (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water Contaminants that may be present in source water include:

Microbial Contaminants: such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural operations and wildlife.

Inorganic Contaminants: such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and Herbicides: which may come from a variety of sources such as agriculture, urban storm water runoff and residential users.

Organic Chemical Contaminants: including synthetic and volatile organic chemicals, which are by-products of industrial process and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

Radioactive Contaminants: which can be naturally occurring or be the result of oil and gas production and mining activities.

SOURCE WATER ASSESSMENT

In 2018 all of the water the Town of Cicero distributed came from Lake Michigan. Lake Michigan water is drawn from far offshore structures (known as cribs) along the bottom of the lake and treated at the City of Chicago Jardine Water Purification Plant (north of Navy Pier). This water is pumped by the City of Chicago through large transmission lines to the Town of Cicero pumping stations at 47th Avenue and Roosevelt Road and Laramie Avenue and Roosevelt Road. The water is then pumped at these stations through the Town's water main grid system to the residential, commercial, and public facility end users.

The Illinois EPA considers all surface water sources of community water supply to be susceptible to potential pollution problems. The very nature of surface water allows contaminants to migrate into the intake with no protection only dilution. This is the reason for mandatory treatment for all surface water supplies in Illinois. Chicago's offshore intakes are located at a distance that shoreline impacts are not usually considered a factor on water quality. At certain times of the year, however, the potential for contamination exists due to wet-weather flows and river reversals. In addition, the placement of the crib structures may serve to attract waterfowl, gulls and terns that frequent the Great Lakes area, thereby concentrating fecal deposits at the intake and thus compromising the source water quality. Conversely, the shore intakes (not used for Town of Cicero water source supply) are highly susceptible to storm water runoff, marinas and shoreline point sources due to the influx of groundwater to the lake.

REGULATED CONTAMINANTS TABLES

Regulated Disinfectants & Disinfection By-Products	MCLG	MCL	Highest Level Detected	Range of Levels Detected	Units	Municipality	Violation	Collection Date	Likely Source of Contaminants
Chlorine	MRDLG = 4	MRDL = 4	0.9	0.8 — 0.97	ppm	Cicero	N	12/31/2018	Water additive used to control microbes.
	MRDLG = 4	MRDL = 4	1	1 — 1	ppm	Chicago	N	12/31/2018	
Haloacetic Acids (HAA5)	No Goal	60	17	5.64 — 24.9	ppb	Cicero	N	2018	By-Product of drinking water disinfection
	No Goal	60	13	5.5 — 19.7	ppb	Chicago	N	2018	
Total Trihalomethanes (TTHM)	No Goal	80	25	13.05 — 24.9	ppb	Cicero	N	2018	
	No Goal	80	26	11.4 — 36.7	ppb	Chicago	N	2018	

Chicago Total Organic Carbon (TOC) - The percentage of TOC removal was measured each month and the system met all TOC removal requirements set by the IEPA.

Inorganic Contaminants

Barium	2	2	0.0214	0.0203 — 0.0214	ppm	Chicago	N	2018	Discharge of drilling wastes; Discharge from refineries; Erosion of natural deposits.
Fluoride	4	4.0	0.6	0.601 — 0.617	ppm	Chicago	N	2018	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Nitrate (Measured as Nitrogen)	10	10	0.416	0.314 — 0.416	ppm	Chicago	N	2018	Runoff from fertilizer use; leaching from septic tanks, sewage; Erosion of natural deposits.
Sodium			9	8.14 — 8.89	ppb	Chicago	N	2018	Erosion from naturally occurring deposits: used in water softener regeneration

Radioactive & Synthetic Organic Contaminants

Combined Radium 226/228	0	5	0.84	0.5 — 0.84	pCi/L	Chicago	N	02/11/2014	Erosion of natural deposits.
Gross alpha excluding radon and uranium	0	15	6.6	6.1 — 6.6	pCi/L	Chicago	N	02/11/2014	Erosion of natural deposits.

Coliform Bacteria

Total Coliform Maximum Contaminant Goal	Total Coliform Maximum Contaminant Level	Highest No. of Positive	Fecal Coliform or E. Coli Maximum Contaminant Level	Total No. Positive E. Coli or Fecal Coliform Samples	Municipality	Violation	Likely Source of Contaminants
0	5% of Monthly Samples are positive.	0.4		0	Chicago	N	Naturally present in the environment.

Lead and Copper	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Municipality	Violation	Date Sampled	Likely Source of Contaminants
Lead	0	15	6.35	0	ppb	Cicero	N	9/26/2017	Corrosion of household plumbing systems; Erosion of natural deposits.
	0	15	9.1	0	ppb	Chicago	N	2018	
Copper	1.3	1.3	0.091	0	ppm	Chicago	N	2018	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of

Turbidity	Limit (Treatment Technique)	Level Detected	Municipality	Violation	Likely Source of Contaminants
Highest Single Measurement %	1 NTU	0.19 NTU	Chicago	N	Soil Runoff.
Lowest Monthly % meeting Limit	0.3 NTU	100%	Chicago	N	Soil Runoff.

DEFINITIONS OF TERMS / UNIT OF MEASUREMENT

Definitions of Terms:

Maximum Contaminant Level Goal (MCLG): The level of contaminant in drinking water below which there is no known / expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of disinfectant in drinking water below, which there is no known or expected risk to health. MRDLG's allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of disinfectant allowed in drinking water.

Range of Detections: This column represents a range of individual sample results, from lowest to highest that were collected during the CCR calendar year.

Date of Sample: If a date appears in this column, the Illinois EPA requires monitoring for this contaminant less than once per year because the concentrations do not frequently change. If no date appears in the column, monitoring for this contaminant was conducted during the Consumer Confidence Report calendar year.

Action Level (AL): The concentration of a contaminant that triggers treatment or other required actions by the water supply.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

ND: Not detectable at testing limits. **N/A:** Not applicable

Turbidity: The measure of the cloudiness of water caused by suspended particles. We monitor it because it is a good indicator of water quality and the effectiveness of the filtration system and disinfectants.

Unit of Measurement:

ppb: Micrograms Per Liter or Parts Per Billion (or url), unit of measurement of concentration in 7,350,000 gallons of water.

ppm: Milligrams Per Liter or Parts Per Million (or mg/l), unit of measurement of concentration in 7,350 gallons of water.

NTU: Nephelometric Turbidity Unit, used to measure cloudiness in drinking water.

%<0.3NTU: Percent samples less than 0.3 NTU pCi/L: Picocuries per liter, used to measure radioactivity

VIOLATION SUMMARY TABLE

No violations were reported for the Town of Cicero and the City of Chicago in 2018.

UNREGULATED CONTAMINANTS - UCMR4 COMPLIANCE

The EPA uses the Unregulated Contaminant Monitoring (UCM) program to collect data for contaminants suspected to be present in drinking water, but that do not have health-based standards set under the Safe Drinking Water Act (SDWA). Every five years the EPA reviews the list of contaminants, largely based on the Contaminant Candidate List. In 2018 the Town of Cicero conducted the required sampling and analysis under the UCMR4 program and the samples tested showed no detection of the specified contaminant.

Disinfectants & Disinfection By-Products	MCLG	MCL	Highest Level Detected	Range of Levels Detected	Units	Municipality	Report Year	Likely Source of Contaminants
None Detected						Cicero	2018	